

In re Patent Application of:

KNIGHT ET AL.

Serial No. **10/828,584**

Filing Date: **April 21, 2004**

In the Claims:

1. (CURRENTLY AMENDED) A system for determining the probability of oil or mineral deposits, comprising:

at least one data collection device for collecting elevation slope, magnetic and gravity data sets for a predetermined area of the earth's surface; and

a processor for receiving the elevation slope, magnetic and gravity data sets and applying the gravity and magnetic data sets to the elevation slope data set as matrices in a transfer function to link the elevation slope data set ~~to the~~ and output and display an oil/mineral deposit prediction value indicative of the likely presence of oil or mineral deposits.

2. (ORIGINAL) A system according to Claim 1, wherein said elevation slope, magnetic and gravity data sets are represented as gradients within matrices to which the presence of oil or mineral deposits are linked.

3. (ORIGINAL) A system according to Claim 2, wherein said processor is operative for manipulating the matrices to obtain potential signature values indicative of the presence of oil or mineral deposits within the predetermined area of the earth's surface.

4. (ORIGINAL) A system according to Claim 2, wherein said processor is operative to determine if any matrices are singular and a resulting determinant is zero, indicative of a change and increased probability that oil or mineral deposits exist within the predetermined area of the earth's surface.

In re Patent Application of:

KNIGHT ET AL.

Serial No. **10/828,584**

Filing Date: **April 21, 2004**

5. (ORIGINAL) A system according to Claim 1, and further comprising at least one image of the predetermined area of the earth's surface through which specific data values of elevation slope can be extracted.

6. (ORIGINAL) A system according to Claim 1, wherein a probability value is assigned for the presence of oil or mineral deposits through the transfer function.

7. (ORIGINAL) A system according to Claim 6, wherein a probability value is assigned for the presence of oil or mineral deposits based on elevation slope data sets applied through the transfer function.

8. (ORIGINAL) A system according to Claim 1, wherein said elevation slope data set comprises Digital Terrain Elevation Data (DTED).

9. (ORIGINAL) A system according to Claim 1, wherein said data collection device comprises an airborne data collection platform.

10. (ORIGINAL) A system according to Claim 1, wherein said data collection device comprises a camera for obtaining images of the predetermined area of the earth's surface.

11. (ORIGINAL) A system according to Claim 1, wherein said at least one data collection device comprises ground based magnetic or gravity sensing devices for obtaining the

In re Patent Application of:

KNIGHT ET AL.

Serial No. **10/828,584**

Filing Date: **April 21, 2004**

magnetic or gravity data sets for a predetermined area of the earth's surface.

12. (ORIGINAL) A system according to Claim 1, wherein said gravity data set comprises data indicative of a change in the earth gravity field along the predetermined area of the earth's surface.

13. (ORIGINAL) A system according to Claim 1, wherein said magnetic data set comprises data indicative of a change in the earth magnetic field along the predetermined area of the earth's surface.

14. (CURRENTLY AMENDED) A system for determining the probability of oil or mineral deposits, comprising:

at least one data collection device for collecting elevation slope, magnetic and gravity data sets for a predetermined area of the earth's surface; and

a processor for receiving the elevation slope, magnetic and gravity data sets and establishing vector representations indicative of gradients for the elevation slope, magnetic and gravity data sets and applying a transfer function to the vector representations to link the elevation slope data set ~~to~~ the and output and display an oil/mineral deposit prediction value indicative of the likely presence of oil and mineral deposits.

15. (ORIGINAL) A system according to Claim 14, wherein said vector representations are indicative of intensity as a

In re Patent Application of:

KNIGHT ET AL.

Serial No. **10/828,584**

Filing Date: **April 21, 2004**

function of location for respective magnetic and gravity data sets.

16. (ORIGINAL) A system according to Claim 14, wherein said elevation slope, magnetic and gravity data sets are represented as gradients within matrices to which the presence of oil or mineral deposits are linked.

17. (ORIGINAL) A system according to Claim 16, wherein said processor is operative for manipulating matrices to obtain potential signature values indicative of the presence of oil or mineral deposits within the predetermined area of the earth's surface.

18. (ORIGINAL) A system according to Claim 16, wherein said processor is operative to determine if any matrices are singular and a resulting determinant is zero, indicative of a change and increased probability that oil or mineral deposits exist within the predetermined area of the earth's surface.

19. (ORIGINAL) A system according to Claim 14, and further comprising at least one image of the predetermined area of the earth's surface through which specific data values of elevation slope can be extracted.

20. (ORIGINAL) A system according to Claim 14, wherein a probability value is assigned for the presence of oil and mineral deposits through the transfer function.

In re Patent Application of:

KNIGHT ET AL.

Serial No. **10/828,584**

Filing Date: **April 21, 2004**

21. (ORIGINAL) A system according to Claim 20, wherein a probability value is assigned for the presence of oil or mineral deposits based on elevation slope data sets applied through the transfer function.

22. (ORIGINAL) A system according to Claim 14, wherein said elevation slope data set comprises Digital Terrain Elevation Data (DTED).

23. (ORIGINAL) A system according to Claim 14, wherein said data collection device comprises an airborne data collection platform.

24. (ORIGINAL) A system according to Claim 14, wherein said data collection device comprises a camera for obtaining images of the predetermined area of the earth's surface.

25. (ORIGINAL) A system according to Claim 14, wherein said at least one data collection device comprises ground based magnetic and gravity sensing devices for obtaining the magnetic and gravity data sets for a predetermined area of the earth's surface.

26. (ORIGINAL) A system according to Claim 14, wherein said gravity data set comprises data indicative of a change in the earth gravity field along the predetermined area of the earth's surface.

27. (ORIGINAL) A system according to Claim 14, wherein said magnetic data set comprises data indicative of a change

In re Patent Application of:
KNIGHT ET AL.
Serial No. **10/828,584**
Filing Date: **April 21, 2004**

in the earth magnetic field along the predetermined area of the earth's surface.

28. (CURRENTLY AMENDED) A method for determining the probability of oil or mineral deposits, which comprises:
collecting elevation slope, magnetic and gravity data sets for a predetermined area of the earth's surface; and
applying the gravity and magnetic data sets as matrices in a transfer function with the elevation slope data set as a matrix to link the elevation slope data set ~~to the~~ and outputting and displaying an oil/mineral deposit prediction value indicative of the likely presence of oil or mineral deposits within the predetermined area of the earth's surface.

29. (ORIGINAL) A method according to Claim 28, which further comprises representing the elevation slope, magnetic and gravity data sets as gradients within matrices to which the presence of oil and mineral deposits can be correlated.

30. (ORIGINAL) A method according to Claim 29, which further comprises manipulating the matrices to obtain potential signature values indicative of the presence of oil and mineral deposits.

31. (ORIGINAL) A method according to Claim 29, which further comprises determining if any matrices are singular and a resulting determinant is zero, indicative of a change and greater probability that oil or mineral deposits exist within the predetermined area of the earth's surface.

In re Patent Application of:

KNIGHT ET AL.

Serial No. **10/828,584**

Filing Date: **April 21, 2004**

32. (ORIGINAL) A method according to Claim 28, which further comprises extracting specific values from imagery data sets to predict the presence of oil or mineral deposits within the predetermined area of the earth's surface.

33. (ORIGINAL) A method according to Claim 32, which further comprises assigning a probability value for the presence of oil and mineral deposits through the transfer function.

34. (ORIGINAL) A method according to Claim 33, which further comprises assigning a probability value for the presence of oil and mineral deposits based on elevation slope data through the transfer function.

35. (ORIGINAL) A method according to Claim 28, which further comprises collecting elevation slope data as Digital Terrain Elevation Data (DTED).

36. (ORIGINAL) A method according to Claim 28, which further comprises collecting elevation slope data from an airborne collection platform.

37. (ORIGINAL) A method according to Claim 28, which further comprises collecting elevation slope data from images of the predetermined area of the earth's surface.

38. (ORIGINAL) A method according to Claim 28, which further comprises collecting magnetic and gravity data sets from ground based magnetic and gravity sensing devices.

In re Patent Application of:

KNIGHT ET AL.

Serial No. **10/828,584**

Filing Date: **April 21, 2004**

39. (ORIGINAL) A method according to Claim 28, which further comprises measuring a change in the earth gravity field along the predetermined area of the earth's surface for obtaining the gravity data.

40. (ORIGINAL) A method according to Claim 28, which further comprises measuring a change in the earth magnetic field along the predetermined area of the earth's surface for obtaining the magnetic data.

41. (CURRENTLY AMENDED) A method for determining the probability of oil and mineral deposits, which comprises:
collecting elevation slope, magnetic and gravity data sets for a predetermined area of the earth's surface;
establishing vector representations indicative of gradients for the elevation slope, magnetic and gravity data sets; ~~and~~
applying a transfer function to the vectors; and
outputting and displaying an oil/mineral deposit prediction value indicative of to determine the likely presence of oil or mineral deposits within the predetermined area of the earth's surface.

42. (ORIGINAL) A method according to Claim 41, which further comprises representing the vectors as an intensity function of location for magnetic and gravity data sets.

43. (ORIGINAL) A method according to Claim 41, which further comprises representing the elevation slope, magnetic

In re Patent Application of:

KNIGHT ET AL.

Serial No. **10/828,584**

Filing Date: **April 21, 2004**

and gravity data as gradients within matrices to which the presence of oil and mineral deposits can be correlated.

44. (ORIGINAL) A method according to Claim 43, which further comprises manipulating the matrices to obtain potential signature values indicative of the presence of oil and mineral deposits.

45. (ORIGINAL) A method according to Claim 43, which further comprises determining if any matrices are singular and a determinant is zero indicative of a change and greater probability that oil or mineral deposits exist within the predetermined area of the earth's surface.

46. (ORIGINAL) A method according to Claim 41, which further comprises extracting specific values from imagery data sets to predict the presence of oil or mineral deposits with the predetermined area of the earth's surface.

47. (ORIGINAL) A method according to Claim 41, which further comprises assigning a probability value for the presence of oil and mineral deposits through the transfer function.

48. (ORIGINAL) A method according to Claim 47, which further comprises assigning a probability value for the presence of oil and mineral deposits based on elevation slope data through the transfer function.

In re Patent Application of:
KNIGHT ET AL.
Serial No. **10/828,584**
Filing Date: **April 21, 2004**

49. (ORIGINAL) A method according to Claim 41, which further comprises collecting elevation slope data as Digital Terrain Elevation Data (DTED).

50. (ORIGINAL) A method according to Claim 41, which further comprises collecting elevation slope data from an airborne collection platform.

51. (ORIGINAL) A method according to Claim 41, which further comprises collecting elevation slope data from images of the predetermined area of the earth's surface.

52. (ORIGINAL) A method according to Claim 41, which further comprises collecting magnetic and gravity data sets from ground based magnetic and gravity sensing devices.

53. (ORIGINAL) A method according to Claim 41, which further comprises measuring a change in the earth gravity field along the predetermined area of the earth's surface for obtaining the gravity data.

54. (ORIGINAL) A method according to Claim 41, which further comprises measuring a change in the earth magnetic field along the predetermined area of the earth's surface for obtaining the magnetic data.

55. (CURRENTLY AMENDED) A system for determining the probability of oil or mineral deposits, comprising:

In re Patent Application of:

KNIGHT ET AL.

Serial No. **10/828,584**

Filing Date: **April 21, 2004**

at least one data collection device for collecting elevation slope, magnetic and gravity data sets for a predetermined area of the earth's surface; and

a processor for receiving the elevation slope, magnetic and gravity data sets and applying the gravity and magnetic data sets to the elevation slope data set in a transfer function to link the elevation slope data set ~~to the~~ and output and display an oil/mineral deposit prediction value indicative of the likely presence of oil or mineral deposits as an assigned probability value based on the transfer function.

56. (CURRENTLY AMENDED) A system for determining the probability of oil or mineral deposits, comprising:

at least one data collection device for collecting elevation slope as Digital Terrain Elevation Data (DTED), magnetic and gravity data sets for a predetermined area of the earth's surface; and

a processor for receiving the DTED, magnetic and gravity data sets and applying the gravity and magnetic data sets to the DTED in a transfer function to link the elevation slope data set ~~to the~~ and output and display an oil/mineral deposit prediction value indicative of the likely presence of oil or mineral deposits.